

# Soft Tissue Exam

Participant ID:  (2 letters of initial + 2 digits birth month + 2 digits birth day)

1. Please describe the participant's denture use below
- 0 = does not have and is edentulous in the dental arch (upper or lower)
  - 1 = has denture or partial, and wears at night
  - 2 = has denture or partial, and wears for eating only
  - 3 = has denture or partial, and wears for esthetics only

Put a number in each of the boxes below corresponding to the clinical exam.

Upper Denture/Overdenture  Upper Removable Partial Denture

Lower Denture/Overdenture  Lower Removable Partial Denture

2.

Check here if soft tissue exam is completed

3.

Check here if referral for emergent care is recommended

4. Please mark (by clicking on the tooth number) all missing teeth or root tips according to the tooth number, then fill out Gingival Index in each box representing a surface of a tooth.

**Examiner: please call off tooth number and direction to the recorder]**

Key: 0 = No signs of inflammation

# Marking missing teeth

Facial

DF	F	MF
----	---	----

Lingual

DL	L	ML
----	---	----

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17

Save Open Plaque Score

# Gingival Index

4. Please mark (by clicking on the tooth number) all missing teeth or root tips according to the tooth number, then fill out Gingival Index in each box representing a surface of a tooth.


**[Examiner: please call off tooth number and direction to the recorder]**

Key: 0 = No signs of inflammation

1 = Mild inflammation – redness, enlargement due to edema, no bleeding provoked by drawing a probe circumferentially within the gingival sulcus

2 = Moderate inflammation – erythema, enlargement, and bleeding provoked by drawing a probe circumferentially within the gingival sulcus

3 = Severe inflammation or ulceration – tendency to bleed spontaneously




# Plaque Score

## Plaque Score

Participante ID:  Participante Master ID:  Evaluation Date:  Screener ID:

[Examiner: Apply Vaseline to lips. Use disclosing solution per instructions in the pre-filled applicators.]

Plaque is scored as present or absent on 6 surfaces (MF, F, DF, ML, L, DL) located in the dentogingival junction of each tooth by clicking the correspondent surface in the diagram below



# Oral Hygiene Aids

## 6. Distribution of Oral Hygiene Aids

Please check the box for the oral hygiene aids you think would be most appropriate for the participant.  
[Examiner: Do not discuss with the participant. Do not give oral hygiene instruction. Just tell the recorder to check the box next to your recommendations. Oral hygiene aids will be distributed by other research staff.]

Toothbrush  Dental Floss  Denture Brush  Denture Cup

Adaptive Tubing for patients with grip problems such as arthritis

Tooth brushing Brochure English  Tooth brushing Brochure Spanish

Dental Flossing Brochure English  Dental Flossing Brochure Spanish

Denture Brochure English  Denture Brochure Spanish

Save

Close